

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	interrupt\$2 near4 (co?process\$3) near4 (pseudo?instruction\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/04/04 15:45
S2	1	(interrupt\$2 near4 (co?process\$3)) with (pseudo?instruction\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/04/04 15:44
S3	1	(interrupt\$2 near4 (co?process\$3)) same (pseudo?instruction\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/04/04 15:44
S4	1	(interrupt\$2 near4 (co?process\$3)) and (pseudo?instruction\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/04/04 15:44
S5	5	interrupt\$2 near4 (co?process\$3) near4 register\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/04/04 16:48
S6	4876	(interrupt\$1 near4 (control\$4 or arbit\$3 or rout\$3 or APIC)) same (interrupt\$1 near4 register\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/04/04 16:50
S7	606	(interrupt\$1 near4 (control\$4 or arbit\$3 or rout\$3 or APIC)) same (interrupt\$1 adj1 register\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/04/04 16:50
S8	297	(712/214).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/04/28 11:45
S9	487	(712/215).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/04/28 11:45
S10	56	((speculat\$5 or predict\$5) near4 issu\$3) with (pipelin\$3 near4 stag\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/04/28 11:55
S11	2	((speculat\$5 or predict\$5) near4 result\$1) with (pipelin\$3 near4 stag\$3) with (availab\$5 or ready or finish\$3 or complet\$3 or done)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/04/28 11:57

EAST Search History

S12	512	(712/218).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/04/28 11:57
S13	5	((speculat\$5 or predict\$5) near4 result\$1) with (forward\$3 or bypass\$3) with (pipelin\$3 near4 stag\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/04/28 11:59
S14	29453	((speculat\$5 or predict\$5) near4 result\$1) sane ((forward\$3 or bypass\$3) with (pipelin\$3 near4 stag\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/04/28 11:59
S15	17	((speculat\$5 or predict\$5) near4 result\$1) same ((forward\$3 or bypass\$3) with (pipelin\$3 near4 stag\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/04/28 11:59
S16	528	(712/218).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/21 13:20
S17	300	(712/214).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/06/23 14:47
S18	494	(712/215).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/21 13:20
S19	15	confidence near4 valu\$2 near4 issu\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/06/23 14:48
S20	1	interrupt\$2 near4 (co?process\$3) near4 (pseudo?instruction\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/06/23 14:49
S21	1	(interrupt\$2 near4 (co?process\$3)) with (pseudo?instruction\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/06/23 14:49
S22	1	(interrupt\$2 near4 (co?process\$3)) same (pseudo?instruction\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/06/23 14:49
S23	1	(interrupt\$2 near4 (co?process\$3)) and (pseudo?instruction\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/06/23 14:49

EAST Search History

S24	5	interrupt\$2 near4 (co?process\$3) near4 register\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/06/23 14:49
S25	2	((speculat\$5 or predict\$5) near4 result\$1) with (pipelin\$3 near4 stag\$3) with (availab\$5 or ready or finish\$3 or complet\$3 or done)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/06/23 14:49
S26	5	((speculat\$5 or predict\$5) near4 result\$1) with (forward\$3 or bypass\$3) with (pipelin\$3 near4 stag\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/06/23 14:50
S27	17	((speculat\$5 or predict\$5) near4 result\$1) same ((forward\$3 or bypass\$3) with (pipelin\$3 near4 stag\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/06/23 14:50
S28	7	((("5872947") or ("5964867") or ("5923862") or ("6360315") or ("6144982") or ("6393550") or ("5958041")).PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/06/23 14:54
S29	557	(712/218).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/12/06 11:58
S30	329	(712/214).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/21 13:20
S31	515	(712/215).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/12/06 11:59
S32	1	(predict\$3 near4 operand\$1 near4 (availab\$5 or read\$5 or free or result\$3)) with (pipeline near4 stag\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/12/06 12:01
S33	10	(predict\$3 with operand\$1 with (availab\$5 or read\$5 or free or result\$3)) with (pipeline near4 stag\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/12/06 12:03
S34	16	(predict\$3 with operand\$1 with (availab\$5 or read\$5 or free or result\$3)) same (pipeline near4 stag\$3)	US-PGPUB; USPAT	OR	OFF	2006/12/06 12:06
S35	17	(predict\$3 with operand\$1 with (availab\$5 or read\$5 or free or result\$3)) same (pipeline with stag\$3)	US-PGPUB; USPAT	OR	OFF	2006/12/06 12:07

EAST Search History

S36	4	(predict\$3 same operand\$1 same (availab\$5 or read\$5 or free or result\$3)) same (pipeline same stag\$3)	EPO; JPO; IBM_TDB	OR	OFF	2006/12/06 12:09
S37	114	(predict\$3 same operand\$1 same (availab\$5 or read\$5 or free or result\$3)) same (pipeline same stag\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/12/06 12:09
S38	3	((predict\$3 with operand\$1) near4 (availab\$5 or read\$5 or free or result\$3)) same (pipeline same stag\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/12/06 12:11
S39	7	((predict\$3 near4 operand\$1) with (availab\$5 or read\$5 or free or result\$3)) same (pipeline with stag\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/12/06 12:29
S40	3	((predict\$3 near4 operand\$1) with (availab\$5 or read\$5 or free or result\$3)) same (confidence)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/12/06 13:22
S41	0	(predict\$3 with stage with result with confidence).clm.	US-PGPUB	OR	OFF	2006/12/06 13:22
S42	1	(predict\$3 same stage same result same confidence).clm.	US-PGPUB	OR	OFF	2006/12/06 13:24
S43	1	(predict\$3 same dependent same result same confidence).clm.	US-PGPUB	OR	OFF	2006/12/06 13:24
S44	3	(predict\$3 and stage and result and confidence).clm.	US-PGPUB	OR	OFF	2006/12/06 13:25
S45	5	(predict\$3 and dependent and result and confidence).clm.	US-PGPUB	OR	OFF	2006/12/06 13:33
S46	2	(Jones).in. and (Prime).as.	US-PGPUB; USPAT	OR	OFF	2006/12/06 13:28
S47	0	((Ellis-R).xa. or (Ellis-R).xp. or (Donohue-L).xa. or (Donohue-L).xp.) and (Operand and (predict\$5 or availab\$5)).ti.	US-PGPUB	OR	OFF	2006/12/06 13:36
S48	0	((Ellis-R).xa. or (Ellis-R).xp. or (Donohue-L).xa. or (Donohue-L).xp.) and (Operand and (predict\$5 or availab\$5))	US-PGPUB	OR	OFF	2006/12/06 13:35
S49	0	((Ellis-R).xa. or (Ellis-R)".xp") and (Operand and (predict\$5 or availab\$5))	US-PGPUB	OR	OFF	2006/12/06 13:35
S50	0	((Ellis-R).xa. or (Ellis-R).xp.) and (Operand and (predict\$5 or availab\$5))	US-PGPUB	OR	OFF	2006/12/06 13:35

EAST Search History

S51	18	(Ellis) and (Operand and (predict\$5 or availab\$5))	US-PGPUB	OR	OFF	2006/12/06 13:36
S52	405	(Ellis) and (Operand and (predict\$5 or availab\$5))	US-PGPUB; USPAT	OR	OFF	2006/12/06 13:36
S53	0	((Ellis-R).xa. or (Ellis-R).xp. or (Donohue-L).xa. or (Donohue-L).xp.) and (Operand and (predict\$5 or availab\$5)).ti.	US-PGPUB; USPAT	OR	OFF	2006/12/06 15:30
S54	3	((Ellis\$).xa. or (Ellis\$).xp. or (Donaghue\$).xa. or (Donaghue\$).xp.) and (predict\$3 and future and availab\$5).ti.	US-PGPUB; USPAT	OR	OFF	2006/12/06 15:43
S55	85	((Ellis\$).xa. or (Ellis\$).xp.) and (operand\$1 with availab\$5)	US-PGPUB; USPAT	OR	OFF	2006/12/06 15:44
S56	73	((Ellis-R\$).xa. or (Ellis-R\$).xp.) and (operand\$1 with availab\$5)	US-PGPUB; USPAT	OR	OFF	2006/12/06 15:44
S57	73	((Ellis-Richard\$).xa. or (Ellis-Richard\$).xp.) and (operand\$1 with availab\$5)	US-PGPUB; USPAT	OR	OFF	2006/12/06 15:44
S58	344	(712/214).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/03/21 13:20
S59	519	(712/215).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/03/21 13:20
S60	572	(712/218).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/03/21 13:51
S61	1	("20050060518").PN.	US-PGPUB; USPAT	OR	OFF	2007/03/21 13:51
S62	12503	(confidence\$1 or probabilit\$3 or predict\$3) near4 data near4 (availab\$6 or read\$5 or us\$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/21 14:10
S63	3639	(confidence\$1 or probabilit\$3) near4 data near4 (availab\$6 or read\$5 or us\$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/21 14:11
S64	271	(confidence\$1 or probabilit\$3) near4 data near4 availab\$6	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/21 14:12
S65	0	((confidence\$1 or probabilit\$3) near4 data near4 availab\$6) with (dependen\$4 near4 instruction\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/21 14:12
S66	1	(confidence\$1 or probabilit\$3) near4 data near4 availab\$6 near4 dependen\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/21 14:13

EAST Search History

S67	5	(confidence\$1 or probabilit\$3) with data with availab\$6 with dependen\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/21 14:16
S68	22	(confidence\$1 or probabilit\$3) same (data with availab\$6 with dependen\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/21 14:22
S69	1	("7145607").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/21 14:22
S70	1	("7146607").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/21 14:23
S71	1	("20040194074").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/21 14:23
S72	33	(multi?thread\$3 or thread\$3) near4 (instruction\$1 near4 issu\$5) near4 (stall\$3 or halt\$3 or bubble\$1 or stop\$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/27 13:29
S73	1	(multi?thread\$3 or thread\$3) near4 (instruction\$1 near4 issu\$5) near4 (stall\$3 or halt\$3 or bubble\$1 or stop\$5) near4 (confidence\$1 or probabilit\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/27 13:29
S74	0	((multi?thread\$3 or thread\$3) near4 (simultaneous\$2 or parallel\$1)) with ((instruction\$1 near4 issu\$5) near4 (stall\$3 or halt\$3 or bubble\$1 or stop\$5) near4 (confidence\$1 or probabilit\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/27 13:30
S75	0	((multi?thread\$3 or thread\$3) near4 (simultaneous\$2 or parallel\$1)) same ((instruction\$1 near4 issu\$5) near4 (stall\$3 or halt\$3 or bubble\$1 or stop\$5) near4 (confidence\$1 or probabilit\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/27 13:30
S76	1	((multi?thread\$3 or thread\$3) near4 (simultaneous\$2 or parallel\$1)) and ((instruction\$1 near4 issu\$5) near4 (stall\$3 or halt\$3 or bubble\$1 or stop\$5) near4 (confidence\$1 or probabilit\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/27 13:30

EAST Search History

S77	1	((multi?thread\$3 or thread\$3) near4 (simultaneous\$2 or parallel\$1)) and ((instruction\$1) near4 (stall\$3 or halt\$3 or bubble\$1 or stop\$5) near4 (confidence\$1 or probabilit\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/27 13:30
S78	9	((multi?thread\$3 or thread\$3) near4 (simultaneous\$2 or parallel\$1)) with ((instruction\$1) near4 (stall\$3 or halt\$3 or bubble\$1 or stop\$5))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/27 13:32
S79	0	((multi?thread\$3 or thread\$3) near4 (simultaneous\$2 or parallel\$1)) with ((instruction\$1 near4 issu\$6) near4 (stall\$3 or halt\$3 or bubble\$1 or stop\$5))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/27 13:33
S80	2	((multi?thread\$3 or thread\$3) near4 (simultaneous\$2 or parallel\$1)) same ((instruction\$1 near4 issu\$6) near4 (stall\$3 or halt\$3 or bubble\$1 or stop\$5))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/27 13:34
S81	135	((multi?thread\$3 or thread\$3) near4 (simultaneous\$2 or parallel\$1)) and ((instruction\$1 near4 issu\$6) near4 (stall\$3 or halt\$3 or bubble\$1 or stop\$5))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/27 13:34
S82	3	((multi?thread\$3 or thread\$3) near4 (simultaneous\$2 or parallel\$1)) and ((instruction\$1 near4 issu\$6) near4 (stall\$3 or halt\$3 or bubble\$1 or stop\$5) near4 (data near4 dependen\$5))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/27 13:35
S83	4	((multi?thread\$3 or thread\$3) near4 (simultaneous\$2 or parallel\$1)) and ((instruction\$1 near4 issu\$6) with (stall\$3 or halt\$3 or bubble\$1 or stop\$5) with (data near4 dependen\$5))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/27 13:35
S84	56	((multi?thread\$3 or thread\$3) near4 (simultaneous\$2 or parallel\$1)) and ((instruction\$1 near4 issu\$6) with (data near4 dependen\$5))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/27 13:35
S85	34	((multi?thread\$3 or thread\$3) near4 (simultaneous\$2 or parallel\$1)) and ((instruction\$1 near4 issu\$6) near4 (data near4 dependen\$5))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/09/13 17:06
S86	3	((multi?thread\$3 or thread\$3) near4 (simultaneous\$2 or parallel\$1)) same ((instruction\$1 near4 issu\$6) near4 (data near4 dependen\$5))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/27 13:37

EAST Search History

S87	5	((multi?thread\$3 or thread\$3) near4 (simultaneous\$2 or parallel\$1)) same ((instruction\$1 near4 issu\$6) with (data near4 dependen\$5))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/27 13:45
S88	25	((multi?thread\$3 or thread\$3)) same ((instruction\$1 near4 issu\$6) with (data near4 dependen\$5))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/27 13:46
S89	2	((augsborg-victor\$) and (bridges-jeff\$) and (mcilvaine-michael\$) and (sartorius-thomas\$) and (smith-rodney\$)).in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/28 21:49
S90	371	(712/214).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/09/13 17:06
S91	534	(712/215).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/09/13 17:06
S92	596	(712/218).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/09/13 17:06
S93	39	(multi?thread\$3 or thread\$3) near4 (instruction\$1 near4 issu\$5) near4 (stall\$3 or halt\$3 or bubble\$1 or stop\$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/09/13 17:07
S94	31	((multi?thread\$3 or thread\$3)) same ((instruction\$1 near4 issu\$6) with (data near4 dependen\$5))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/09/13 17:07
S95	38	((multi?thread\$3 or thread\$3) near4 (simultaneous\$2 or parallel\$1)) and ((instruction\$1 near4 issu\$6) near4 (data near4 dependen\$5))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/09/13 17:07
S96	0	instruction\$1 near4 probabilit\$4 near4 percent\$4 near4 stall\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/09/13 17:28
S97	0	(instruction\$1 near4 probabilit\$4 near4 percent\$4 near4 stall\$3).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/09/13 17:28
S98	0	(instruction\$1 near4 probabilit\$4 near4 percent\$4 near4 stall\$3).clm.	US-PGPUB; USPAT	OR	OFF	2007/09/13 17:28
S99	0	(instruction\$1 with probabilit\$4 with percent\$4 with stall\$3).clm.	US-PGPUB; USPAT	OR	OFF	2007/09/13 17:29
S100	0	(instruction\$1 with probabilit\$4 with percent\$4 with stall\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/09/13 17:29

EAST Search History

S10 1	2	(instruction\$1 same probabilit\$4 same percent\$4 same stall\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/09/13 17:35
S10 2	0	(instruction\$1 same probabilit\$4 same percent\$4 same stall\$3).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/09/13 17:35
S10 3	0	(probabilit\$4 same percent\$4 same stall\$3).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/09/13 17:40
S10 4	14	(probabilit\$4 same percent\$4 same stall\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/09/13 17:41
S10 5	0	(probabilit\$4 same percent\$4 same stall\$3).clm.	US-PGPUB; USPAT	OR	OFF	2007/09/13 17:42
S10 6	0	(probabilit\$4 same percent\$4 same stall\$3).clm.	US-PGPUB; USPAT	OR	OFF	2007/09/13 17:40
S10 7	14	(chance\$1 same percent\$4 same stall\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/09/13 17:42
S10 8	0	(chance\$1 same percent\$4 same stall\$3).clm.	US-PGPUB; USPAT	OR	OFF	2007/09/13 17:42
S10 9	0	(probabilit\$4 and percent\$4 and stall\$3).clm.	US-PGPUB; USPAT	OR	OFF	2007/09/13 17:42
S11 0	112	(chance\$1\ and percent\$4 and stall\$3).clm.	US-PGPUB; USPAT	OR	OFF	2007/09/13 19:07
S11 1	1	(chance\$1 and percent\$4 and stall\$3).clm.	US-PGPUB; USPAT	OR	OFF	2007/09/13 17:43
S11 2	2	(chance\$1 and percent\$4 and bubbl\$3).clm.	US-PGPUB; USPAT	OR	OFF	2007/09/13 17:46
S11 3	5682	(chance\$1 and percent\$4 and bubbl\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/09/13 17:46

EAST Search History

S11 4	96	(chance\$1 same percent\$4 same bubbl\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/09/13 17:46
S11 5	0	(chance\$1 same percent\$4 same bubbl\$3 same instruction\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/09/13 17:46
S11 6	0	(probabilit\$3 same percent\$4 same bubbl\$3 same instruction\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/09/13 17:46
S11 7	51	(probabilit\$3 same percent\$4 same bubbl\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/09/13 17:47
S11 8	0	(probabilit\$3 with percent\$4 with bubbl\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/09/13 17:47
S11 9	5	(confidence\$1 or probabilit\$3) with data with availab\$6 with dependen\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/09/13 19:02
S12 0	2	((confidence\$1 or probabilit\$3) with data with availab\$6 with dependen\$4).clm.	US-PGPUB; USPAT	OR	OFF	2007/09/13 19:02
S12 1	4	((confidence\$1 or probabilit\$3) same data same availab\$6 same dependen\$4).clm.	US-PGPUB; USPAT	OR	OFF	2007/09/13 19:03
S12 2	267	((confidence\$1 or probabilit\$3) same data same availab\$6 same dependen\$4)	US-PGPUB; USPAT	OR	OFF	2007/09/13 19:03
S12 3	24	((confidence\$1 or probabilit\$3) same (data with availab\$6 with dependen\$4))	US-PGPUB; USPAT	OR	OFF	2007/09/13 19:03
S12 4	26	((confidence\$1 or probabilit\$3) same (data with availab\$6 with dependen\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/09/13 19:03

EAST Search History

S12 5	526	(712/216).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/09/13 19:08
S12 6	577	(712/217).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/09/13 19:08